

Message

From: Sklaney, Christopher [sklaney.christopher@epa.gov]
Sent: 2/18/2021 5:21:45 PM
To: Gallagher, Timothy [Gallagher.Tim@epa.gov]
CC: Corbett, Chris [Corbett.Chris@epa.gov]
Subject: RE: IC Implementation
Attachments: Keystone Sanitation Landfill - Institutional Control Map (Union Twp) 2016-July.pdf

I know I'm killing your inbox. Here's an example of an information IC sent to a township. I'm done now, I promise.

From: Gallagher, Timothy <Gallagher.Tim@epa.gov>
Sent: Thursday, February 18, 2021 12:21 PM
To: Sklaney, Christopher <sklaney.christopher@epa.gov>
Cc: Corbett, Chris <Corbett.Chris@epa.gov>
Subject: RE: IC Implementation

Yeah, we'll see. I need to check and see if permanent easements were obtained (back in the day). Thanks again.

Timothy M. Gallagher, P.E.
Remedial Project Manager
Superfund & Emergency Management Division
Eastern PA Remedial Section
USEPA Region 3
1650 Arch Street (3SD21)
Philadelphia, PA 19103
215-814-3196
gallagher.tim@epa.gov

From: Sklaney, Christopher <sklaney.christopher@epa.gov>
Sent: Thursday, February 18, 2021 12:19 PM
To: Gallagher, Timothy <Gallagher.Tim@epa.gov>
Cc: Corbett, Chris <Corbett.Chris@epa.gov>
Subject: RE: IC Implementation

Ex. 5 Deliberative Process (DP)

From: Sklaney, Christopher
Sent: Thursday, February 18, 2021 12:12 PM
To: Gallagher, Timothy <Gallagher.Tim@epa.gov>
Cc: Corbett, Chris <Corbett.Chris@epa.gov>
Subject: RE: IC Implementation

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Copying Mr. IC because he's who I mostly learned it from.

Call/respond for examples – Chris

Christopher Sklaney
Remedial Project Manager
Superfund & Emergency Management Division
U.S. Environmental Protection Agency Region 3
1650 Arch Street (Mail Code 3SD21)
Philadelphia, PA 19103
215-814-3198 | office
sklaney.christopher@epa.gov | email

From: Gallagher, Timothy <Gallagher.Tim@epa.gov>
Sent: Thursday, February 18, 2021 10:55 AM
To: R3 SEMD-Site Remediation-Eastern PA <R3_SEMD-SiteRemediation-EasternPA@epa.gov>
Subject: IC Implementation

Eastern PA Branch – One of the elements in the 2009 Nonresponsive based on revised scope remedy is:

Institutional controls to protect the integrity of the remedy including the monitoring wells, injection wells...

Does anyone have an example of how the intent of this IC is met? Is it a letter to a property owner preventing them from altering installed wells?

Thanks.

Timothy M. Gallagher, P.E.
Remedial Project Manager
Superfund & Emergency Management Division
Eastern PA Remedial Section
USEPA Region 3
1650 Arch Street (3SD21)
Philadelphia, PA 19103
215-814-3196
gallagher.tim@epa.gov